L Number	Hits	S arch Text	DB	Tim stamp
4	9458	dynamic\$4 with configurati n	USPAT;	2003/11/05
			EP ; JPO;	09:57
			DERWENT;	
			IBM_TDB	
5	143	dynamic\$4 with configuration with location	USPAT;	2003/11/05
		ay	EPO; JPO;	09:57
			DERWENT;	55.57
			IBM_TDB	
6	17	5.ab.	USPAT;	2003/11/05
U	"	J.ab.	EPO; JPO;	09:57
			1	09:57
			DERWENT;	
			IBM_TDB	
•	384	709/221.ccls.	USPAT;	2003/07/09
			EPO; JPO;	15:08
			DERWENT;	
			IBM_TDB	
•	0	709/221.ccls. with "network setting"	USPAT;	2002/12/13
			EPO; JPO;	10:15
			DERWENT;	
	•		IBM_TDB	
-	0	709/221.ccls. with "location setting"	USPAT;	2002/12/13
		_	EPO; JPO;	10:11
			DERWENT;	
			IBM_TDB	
_	· 0	709/221.ccls. with "netwrok configuration"	USPAT;	2002/12/13
			EPO; JPO;	10:12
			DERWENT;	10112
			IBM_TDB	
_	0	709/221.ccls. with "network configuration"	USPAT;	2002/12/13
-	"	703/221.ccis. With hetwork configuration	EPO; JPO;	10:12
			1	10:12
			DERWENT;	
			IBM_TDB	
•	831	"network setting"	USPAT;	2002/12/13
			EPO; JPO;	10:15
			DERWENT;	
	_		IBM_TDB	
-	1	updat\$6 with configuration with (email or	USPAT;	2002/12/16
		e-mail) with set\$6	EPO; JPO;	09:13
			DERWENT;	
			IBM_TDB	
-	1	updat\$6 with configuration with (email or	USPAT;	2002/12/13
		e-mail) with setting	EPO; JPO;	10:19
			DERWENT;	
			IBM_TDB	
-	3	updat\$6 same configuration same (email or	USPAT;	2002/12/13
		e-mail) same setting	EPO; JPO;	10:19
			DERWENT;	
			IBM_TDB	
	14	updat\$6 sam configurati n sam (email or	USPAT;	2002/12/13
		e-mail) sam s t\$6	EPO; JPO;	15:29
			DERWENT;	
	1		PLATERI	I

4 (updat\$6 sam I cation sam configurati n sam setting) and (e-mail r mail r" DERWENT; IBM_TDB 4 (updat\$6 sam I cati n sam configurati n sam s tting) and (e-mail r mail r" DERWENT; IBM_TDB 5 0 "location name" with "location setting" USPAT; EPO; JPO; DERWENT; IBM_TDB 6 0 "location name" same "location setting" USPAT; EPO; JPO; DERWENT; IBM_TDB 6 0 "location setting" USPAT; EPO; JPO; DERWENT; IBM_TDB 6 0 "location setting" USPAT; EPO; JPO; DERWENT; IBM_TDB 6 0 "location setting" USPAT; EPO; JPO; DERWENT; IBM_TDB 6 0 USPAT; EPO; JPO; DERWENT; IBM_TDB 7 0 USPAT; EPO; JPO; DERWENT; IBM_TDB	//13 //13 //13
mail") 4 (updat\$6 sam I cati n sam configurati n sam s tting) and (e-mail r mail r" EPO; JPO; mail") - 0 "location name" with "location setting" - 0 "location name" same "location setting" - 0 "location name" same "location setting" - 0 0 0 "location setting" - 0 0 0 "location setting" - 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2/13 2/13
- 4 (updat\$6 sam I cati n sam configurati n sam s tting) and (e-mail r mail r" DERWENT; IBM_TDB - 0 "location name" with "location setting" USPAT; EPO; JPO; DERWENT; IBM_TDB - 0 "location name" same "location setting" USPAT; EPO; JPO; DERWENT; IBM_TDB - 0 "location name" same "location setting" USPAT; EPO; JPO; DERWENT; IBM_TDB - 606 "location setting" USPAT; EPO; JPO; DERWENT; IBM_TDB - 64 updat\$6 same location same configuration USPAT; 2003/07	2/13 2/13
- 4 (updat\$6 sam I cati n sam configurati n sam s tting) and (e-mail r mail r"	2/13 2/13
sam s tting) and (e-mail r mail r" mail") - 0 "location name" with "location setting" - 0 "location name" same "location setting" - 0 "location name" same "location setting" - 0 "location name" same "location setting" - 606 "location setting" - 607 "location setting" - 608 "location setting" - 609 "location setting" - 700 "location setting" - 700 "location setting" - 800 "location setting" -	2/13 2/13
mail") DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; EPO; DERWENT; EPO; DERWENT; EPO; DERWENT; EPO; DERWENT; EPO; EPO; EPO; EPO; EPO; EPO; EPO; EPO	// 13
- 0 "location name" with "location setting" USPAT; EPO; JPO; DERWENT; IBM_TDB	// 13
- 0 "location name" with "location setting" - 0 "location name" same "location setting" - 0 "location name" same "location setting" - 0 "location name" same "location setting" - 0 "location setting" - 0 "location setting" - 0 0 0 "location setting" - 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	// 13
- 0 "location name" same "location setting" USPAT; 2002/12 EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; 2002/12 EPO; JPO; DERWENT; IBM_TDB USPAT; 2002/12 EPO; JPO; DERWENT; IBM_TDB USPAT; 2003/07	// 13
- 0 "location name" same "location setting" USPAT; 2002/12 EPO; JPO; DERWENT; IBM_TDB - 606 "location setting" USPAT; 2002/12 EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; IBM_TDB - 64 updat\$6 same location same configuration USPAT; 2003/07	
- 0 "location name" same "location setting" USPAT; 2002/12 EPO; JPO; DERWENT; IBM_TDB - 606 "location setting" USPAT; 2002/12 EPO; JPO; DERWENT; EPO; JPO; DERWENT; IBM_TDB - 64 updat\$6 same location same configuration USPAT; 2003/07	
- 0 "location name" same "location setting" USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; 2003/07	
EPO; JPO; DERWENT; IBM_TDB USPAT; 2002/12 EPO; JPO; DERWENT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; 2003/07	
DERWENT; IBM_TDB USPAT; 2002/12 EPO; JPO; DERWENT; IBM_TDB DERWENT; IBM_TDB USPAT; 2003/07	/13
- 606 "location setting" USPAT; 2002/12 EPO; JPO; DERWENT; IBM_TDB - 64 updat\$6 same location same configuration USPAT; 2003/07	/13
- 606 "location setting" USPAT; 2002/12 EPO; JPO; 15:20 DERWENT; IBM_TDB USPAT; 2003/07	/13
EPO; JPO; DERWENT; IBM_TDB USPAT; 2003/07	/13
DERWENT; IBM_TDB - 64 updat\$6 same location same configuration USPAT; 2003/07	
- 64 updat\$6 same location same configuration USPAT; 2003/07	
- 64 updat\$6 same location same configuration USPAT; 2003/07	
	/09
same setting EPO; JPO; 15:08	
DERWENT;	
IBM_TDB	
- 6 updat\$6 same configuration same (email or USPAT; 2002/12	/13
e-mail) same attach\$6 EPO; JPO; 15:29	
DERWENT;	
IBM_TDB	
- 0 200177873.URPN. USPAT 2002/12	143
15:36	,
- 0 200177873.URPN. USPAT 2002/12	142
15:36	, 13
- 0 200177873.URPN. USPAT 2002/12	142
15:36	/13
	14.0
- 20 "configuration file" with (email or e-mail) USPAT; 2002/12	/10
EPO; JPO; 09:15	
DERWENT;	
IBM_TDB	44.0
- 0 "configuration file" with (email or e-mail) USPAT; 2002/12	/16
with attachement EPO; JPO; 09:16	
DERWENT;	
IBM_TDB	
- 0 "configuration file" with (email or e-mail) USPAT; 2002/12	/16
with attachment EPO; JPO; 09:17	
DERWENT;	
IBM_TDB	
- 2 "configuration file" same (email or e-mail) USPAT; 2002/12	/16
same attachment EPO; JPO; 09:21	
DERWENT;	
IBM_TDB	
- 1010266 "configuration fil " with int rn t setting USPAT; 2002/12	/16
EPO; JPO; 09:22	
DERWENT;	
IBM_TDB '	

	,			·
-	0	"c nfigurati n fil " with "int rn t s tting"	USPAT;	2002/12/16
			EPO; JPO;	09:22
			DERWENT;	
			IBM_TDB	00004040
-	0	"configurati n fil " sam "internet s tting"	USPAT;	2002/12/16
			EPO; JPO;	09:22
			DERWENT;	
			IBM_TDB	
•	401	"configuration file" same "operating system"	USPAT;	2002/12/16
			EPO; JPO;	09:23
			DERWENT;	
			IBM_TDB	0000/40/40
•	0	"configuration file" same (DNS or domain adj	USPAT;	2002/12/16
		name adj server) same WINS same gateway	EPO; JPO;	09:24
	,		DERWENT;	
			IBM_TDB	00004040
•	2	"configuration file" same (DNS or domain adj	USPAT;	2002/12/16
		name adj server) same gateway	EPO; JPO;	09:24
			DERWENT;	
			IBM_TDB	2002/42/47
•	0	sever with ("central site" or "central unit")	USPAT;	2002/12/17
		with "local system"	EPO; JPO;	11:21
			DERWENT;	
	0	saver with ("control site" or "control unit")	IBM_TDB USPAT;	2002/12/17
•		sever with ("central site" or "central unit")	EPO; JPO;	11:19
		with "system"	DERWENT;	11:19
			IBM_TDB	
_	0	sever with ("central site" or "central unit")	USPAT;	2002/12/17
_		with "local"	EPO; JPO;	11:21
		With local	DERWENT;	11.21
			IBM_TDB	
_	0	server with ("central site" or "central unit")	USPAT;	2002/12/17
		with "local system"	EPO; JPO;	11:23
			DERWENT;	
			IBM_TDB	
	o	server with ("central site" or "central unit")	USPAT;	2002/12/17
		with "local system"	EPO; JPO;	11:24
			DERWENT;	
			IBM_TDB	
-	10	server with ("central site" or "central unit")	USPAT;	2002/12/17
		with "local"	EPO; JPO;	15:50
			DERWENT;	
			IBM_TDB	
•	386	709/221.ccls.	USPAT;	2002/12/17
			EPO; JPO;	13:54
			DERWENT;	
			IBM_TDB	
-	1	1999-117025	DERWENT	2002/12/17
				15:50
•	0	w bpage with locati nal with map	USPAT;	2002/12/18
			EPO; JPO;	09:34
	1		DERWENT;	
	<u> </u>	<u> </u>	IBM_TDB	

-	0	webpag with I cati nal	USPAT;	2002/12/18
			EP ; JPO;	09:34
			DERWENT;	
			IBM_TDB	
-	2	webpag with map	USPAT;	2002/12/18
			EP ; JPO;	09:34
			DERWENT;	
			IBM_TDB	
-	0	Zarni and Ovidavitz	USPAT;	2002/12/18
			EPO; JPO;	10:20
			DERWENT;	
			IBM_TDB	
-	1106	Zarni	USPAT;	2002/12/18
			EPO; JPO;	10:28
			DERWENT;	
			IBM_TDB	
-	278	Zarni and IBM	USPAT;	2002/12/18
			EPO; JPO;	10:29
			DERWENT;	
			IBM_TDB	
	573	webpage	USPAT;	2002/12/18
			EPO; JPO;	10:28
			DERWENT;	
			IBM_TDB	
_	214	webpage and location	USPAT;	2002/12/18
		wospago una roduren	EPO; JPO;	10:22
			DERWENT;	10.22
			IBM_TDB	
	164	(webpage and location) and diagram	USPAT;	2002/12/18
	1.04	(wespage and location) and alagram	EPO; JPO;	10:22
			DERWENT;	10.22
			IBM_TDB	
	385	Zarni and web	USPAT;	2002/12/18
-	303	Laim and Web	EPO; JPO;	10:28
			DERWENT;	10.20
			IBM_TDB	
	125	(Zarni and web) and (Zarni and IBM)	USPAT;	2002/12/18
	125	Leann and web) and (Lann and IDM)	EPO; JPO;	10:32
}			DERWENT;	10:32
			1	
_	34	((Zarni and web) and (Zarni and IBM)) and	IBM_TDB	2002/42/49
-	34	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2002/12/18
		menu	EPO; JPO;	10:29
			DERWENT;	
<u> </u>	675	709/249 eele	IBM_TDB	2002/07/00
-	575	709/218.ccls.	USPAT;	2003/07/09
	1		EPO; JPO;	15:08
			DERWENT;	
}			IBM_TDB	
-	1059	709/219.ccls.	USPAT;	2002/12/18
			EPO; JPO;	10:33
			DERWENT;	
			IBM_TDB	

	1	ſ <u></u>		1
-	1485	709/218.ccls. r 709/219.ccls.	USPAT;	2003/07/09
			EPO; JPO;	15:09
			DERWENT;	
	1		IBM_TDB	
-	46	((Zarni and w b) and (Zarni and IBM)) and	USPAT;	2003/07/09
		(709/218.ccls. r 709/219.ccls.)	EPO; JPO;	15:09
			DERWENT;	
			IBM_TDB	
•	223	"web browser" and Zarni	USPAT;	2002/12/18
			EPO; JPO;	10:41
			DERWENT;	
	70	Barah hara and day and day and day and	IBM_TDB	0000/40/40
•	79	"web browser" and (Zarni and IBM)	USPAT;	2002/12/18
			EPO; JPO;	10:46
			DERWENT;	
	35	topology and /Zami and IBM	IBM_TDB	2002/42/42
•	35	topology and (Zarni and IBM)	USPAT;	2002/12/18
	ļ		EPO; JPO;	10:51
			DERWENT;	
	16		IBM_TDB	2002/42/49
-	10	content same diagrams same category same location	USPAT;	2002/12/18 11:00
		Same location	EPO; JPO; DERWENT;	11:00
			IBM_TDB	
_	0	navigation same catolog\$6	USPAT;	2002/12/18
-		navigation same catologyo	EPO; JPO;	11:01
			DERWENT;	11.01
			IBM_TDB	
_	135	navigation same catalog\$6	USPAT;	2002/12/18
			EPO; JPO;	11:13
			DERWENT;	
			IBM_TDB	
-	29	19.ab.	USPAT;	2002/12/18
			EPO; JPO;	11:02
			DERWENT;	
			IBM_TDB	
-	28	(navigation same catalog\$6) and (webpage	USPAT;	2003/07/09
		or "web page")	EPO; JPO;	15:09
			DERWENT;	
			IBM_TDB	
-	10712	webpage or "web page"	USPAT;	2002/12/18
			EPO; JPO;	11:17
			DERWENT;	
			IBM_TDB	
-	1878	22.ti.	USPAT;	2002/12/18
]			EPO; JPO;	11:17
			DERWENT;	
			IBM_TDB	
•	72	22.ti. and navigati n	USPAT;	2002/12/18
			EPO; JPO;	11:18
			DERWENT;	
			IBM_TDB	

	1106	graph\$5 with navigati n	HCDAT.	2002/42/49
•	1106	graphas with havigati h	USPAT; EP ; JP ;	2002/12/18 11:19
			DERWENT;	11:19
			IBM_TDB	
l _	260	25.ab.	USPAT;	2002/12/18
-	200	23.45.	EP ; JPO;	11:28
			DERWENT;	11:20
			IBM_TDB	
_	2	25.ti. and server and ("data base" or	USPAT;	2002/12/18
-	_	database)	EPO; JPO;	11:27
		- database,	DERWENT;	11.27
			IBM_TDB	
l _	147	25.ti.	USPAT;	2002/12/18
-	1-7/	25.11.	EPO; JPO;	11:28
			DERWENT;	11.20
			IBM_TDB	
.	15	25.ab. and server and ("data base" or	USPAT;	2002/12/18
	.5	database)	EPO; JPO;	11:43
		uutubusey	DERWENT;	11.43
			IBM_TDB	
_	1113	indicat\$5 with user with active	USPAT;	2002/12/18
			EPO; JPO;	13:30
			DERWENT;	10.00
			IBM_TDB	
	0	(indicat\$5 with user with active) and 25.ti.	USPAT;	2002/12/18
		(EPO; JPO;	11:44
			DERWENT;	
			IBM_TDB	
<u>-</u>	17	(indicat\$5 with user with active) and	USPAT;	2002/12/18
		(graph\$5 with navigation)	EPO; JPO;	11:44
			DERWENT;	
			IBM_TDB	
_	0	graph\$6 with (diagram\$4 with map\$3) with	USPAT;	2002/12/18
		hyperlink	EPO; JPO;	13:25
			DERWENT;	
]		IBM_TDB	
-	19	graph\$6 with (diagram\$4 or map\$3) with	USPAT;	2002/12/18
		hyperlink	EPO; JPO;	14:57
	[DERWENT;	
			IBM_TDB	
-	1113	indicat\$5 with user with active	USPAT;	2002/12/18
			EPO; JPO;	13:31
			DERWENT;	
			IBM_TDB	
•	0	(graph\$6 with (diagram\$4 or map\$3) with	USPAT;	2002/12/18
		hyperlink) and (indicat\$5 with user with	EPO; JPO;	13:33
		active)	DERWENT;	
			IBM_TDB	
•	19	graph\$6 with (diagram\$ ˆ r map\$3) with	USPAT;	2003/07/09
		hyperlink	EPO; JPO;	15:09
			DERWENT;	
			IBM_TDB	

	0	(graph\$6 with (diagram\$4 or map\$3) with	USPAT;	2002/12/18
•		hyperlink) with "trust d cont nt"	EP ; JP ;	14:58
		hyperink) with trust a cont int	DERWENT;	14.50
			IBM_TDB	
_	0	(graph\$6 with (diagram\$4 or map\$3) with	USPAT;	2002/12/18
-		hyp rlink) with "bookmark"	EP ; JP ;	14:59
		Hyp Hills / With Bookmark	DERWENT;	14.55
			IBM_TDB	
	o	(graph\$6 with (diagram\$4 or map\$3) with	USPAT;	2002/12/18
		hyperlink) with "guestbook"	EPO; JPO;	14:59
		July Sucotage	DERWENT;	1400
			IBM_TDB	
_	47	trust with content	USPAT;	2002/12/18
_	7'	trust with content	EPO; JPO;	15:00
			DERWENT;	13.00
			IBM_TDB	
_	881	authorized with content	USPAT;	2002/12/18
			EPO; JPO;	15:11
			DERWENT;	
			IBM_TDB	
 	40	authorized with content with web	USPAT;	2002/12/18
1			EPO; JPO;	15:10
			DERWENT;	
			IBM_TDB	
-	1	"authorized user" with content with web	USPAT;	2002/12/18
			EPO; JPO;	15:11
			DERWENT;	
			IBM_TDB	
_	135	"authorized user" with content	USPAT;	2002/12/18
			EPO; JPO;	15:23
			DERWENT;	
	ļ		IBM_TDB	
-	17	health\$6 with content with physician	USPAT;	2002/12/18
			EPO; JPO;	15:50
			DERWENT;	
			IBM_TDB	
-	0	webpage with content with physician	USPAT;	2002/12/18
			EPO; JPO;	15:51
]		DERWENT;	
			IBM_TDB	
-	319	content with physician	USPAT;	2002/12/18
			EPO; JPO;	15:51
			DERWENT;	
			IBM_TDB	
-	1	web with content with physician	USPAT;	2002/12/18
			EPO; JPO;	15:52
			DERWENT;	
			IBM_TDB	0000/40/40
•	54	content with suppl\$6 with (physician r	USPAT;	2002/12/18
		doct r)	EP ; JPO;	15:56
			DERWENT;	
	<u></u>		IBM_TDB	I

	11	cont nt with suppl\$6 with physician	USPAT;	2002/12/18
-		Cont in with supplied with physician	EP ; JPO;	15:53
			DERWENT;	
			IBM_TDB	
_	43	(ntent with suppl\$6 with (physician r	USPAT;	2002/12/18
		d ct r)) n t (c nt nt with suppl\$6 with	EP ; JPO;	15:56
		physician)	DERWENT;	
		,	IBM_TDB	
-	426	709/221.ccls.	USPAT;	2003/07/09
			EPO; JPO;	15:08
			DERWENT;	
			IBM_TDB	
-	74	updat\$6 same location same configuration	USPAT;	2003/07/09
		same setting	EPO; JPO;	15:09
			DERWENT;	
			IBM_TDB	
-	633	709/218.ccls.	USPAT;	2003/07/09
			EPO; JPO;	15:09
			DERWENT;	
			IBM_TDB	
-	1651	709/218.ccls. or 709/219.ccls.	USPAT;	2003/07/09
			EPO; JPO;	15:09
			DERWENT;	
			IBM_TDB	
•	20	graph\$6 with (diagram\$4 or map\$3) with	USPAT;	2003/07/09
		hyperlink	EPO; JPO;	15:09
			DERWENT;	
	40	(navigation same catalog\$6) and (webpage	IBM_TDB	2003/07/09
•	40	or "web page")	USPAT; EPO; JPO;	15:09
		or web page)	DERWENT;	15.05
			IBM_TDB	
_	47	((Zarni and web) and (Zarni and IBM)) and	USPAT;	2003/07/09
		(709/218.ccls. or 709/219.ccls.)	EPO; JPO;	15:09
		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	DERWENT;	
			IBM_TDB	
	4	location with select\$6 with startup with	USPAT;	2003/11/05
		user	EPO; JPO;	09:40
			DERWENT;	
			IBM_TDB	
-	8173	user with select\$6 with location	USPAT;	2003/11/05
			EPO; JPO;	09:40
			DERWENT;	
			IBM_TDB	
-	58	(user with select\$6 with location) with	USPAT;	2003/11/05
		beginning	EPO; JPO;	09:42
			DERWENT;	
			IBM_TDB	
•	312	(us r with s I ct\$6 with I ati n) sam	USPAT;	2003/11/05
		c nfiguration	EPO; JPO;	09:42
			DERWENT;	
			IBM_TDB	1

•	24	(user with s lect\$6 with I cation) same	USPAT;	2003/11/05
		(c mput r with c nfiguration)	EPO; JP ;	09:42
			DERWENT;	
			IBM_TDB	